Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("20030004967").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2003/11/29 15:29
S2	0	((grant or allow) adj (select or review)) same ((employee adj profile) and (employee adj record))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/29 15:32
S3	0	(select or review) same ((employee adj profile) and (employee adj record))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/29 15:33
S4	9	((employee adj profile) and (employee adj record))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/29 15:34
S5	1	((employee adj profile)same (employee adj record))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/29 15:35
S6	460	(human adj resource) same (system or information)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/29 15:55
S7	34	((human adj resource) same (system or information)) and (employee adj (profile or record))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/29 15:55
S8	4516	((human adj resource) same (system or information)) or hrms	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/10 08:34
S9	34	(((human adj resource) same (system or information)) or hrms) and (employee adj (profile or record))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/29 15:56
S10	34	(((human adj resource) same (system or information)) or hrms) and ((employee or people) adj (profile or record))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/29 15:56
S11	41	(((human adj resource) same (system or information)) or hrms) and ((employ$5 or people) adj (profile or record))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/29 15:56
S12	4559	((human adj resource) same (system or information)) or hrms	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/10 08:34
S13	16	(((human adj resource) same (system or information)) or hrms) and 705/11. ccls.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/10 09:15
S14	4	(((human adj resource) same (system or information)) or hrms) and 705/32. ccls.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/10 08:38

S15	2	(((human adj resource) same (system or information)) or hrms) and 705/40. ccls.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/10 08:38
S16	2	"6374402"	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/10 08:54
S17	1	"6564263".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/10 08:58
S18	5	"20020184148" or "6347306".pn. or "20030182178" or "20030216957" or "20030154098"	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/10 09:16
S19	157	e$10mail same header same information same extract$3	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/22 11:47
S20	38	e$10mail same header same information same extract$3 same sender	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/22 11:56
S21	1	(music or melody) same table same header same (account or person)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/22 12:06
S22	64	(music or melody) same table same header	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/22 12:26
S23	11	(music or melody) same table same header same correspond$4	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/22 12:10
S24	856	(music or melody) same user same correspond$4	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/22 12:10
S25	48	(music or melody) same user same correspond$4 same assign$4	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/22 12:10
S26	27	programming same (music or melody) same (recogni$4 or identif$6) same users	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/22 13:26
S27	1	"6441916".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/22 13:28
S28	1	"6421658".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/24 20:29
S29	2	"6441916".pn. or "20020166119"	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/22 13:29
S30	0	"2003004967"	USPAT	OR	OFF	2005/01/16 17:13
S31	0	"2003004967"	US-PGPUB; USPAT	OR	OFF	2005/01/16 17:13

S32	1	"20030004967"	US-PGPUB; USPAT	OR	OFF	2005/01/16 17:14

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	32	database same select same attributes same sql same statement and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 09:26
S2	2	"6487552".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 18:20
S3	5	"2003004967"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:37
S4	2	"20030004967"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:37
S5	977	collaboration with management	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:54
S6	410	(collaboration with management) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 16:12
S7	5	(collaboration with management) same employee and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:55
S8	2318	(employee with manage$6) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 16:13
S9	998	(employee with manager) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 16:16
S10	0	(access same grant$4 same (deni$3 or exclud$4) same employee with manager) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 16:14

S11	0	(access same grant$4 same (deni$3 or exclud$4) same employee same manager) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 16:14
S12	2	(employee with manager same exclud$4) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 16:17
S13	5	(employee same manager same exclud$4) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 16:17
S14	6	"6487552".pn. or "20020120481" or "6587668".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 18:27
S16	1060	database same select same attributes and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:30
S17	12	database same select same attributes same exclu$4 and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:37
S18	12	((view or table) with (select near3 rows)) and attributes same exclu$4 and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:39
S19	12	((view or table) with (select near3 rows)) and (attributes or profiles) same exclu$4 and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:39
S20	12	((view or table) with (select near3 rows)) and (attribute$2 or profile$2) same exclu$4 and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:16
S21	2	((view or table) with ((select near3 rows) with exclud$4)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:24

S22	3	((view or table) and ((select near3 rows) with exclud$4)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:37
S23	11	((select near3 rows) with exclud$4) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:38
S24	1	((select near3 rows) with exclud$4) and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:55
S25	536	((creat$4 near2 view) with view) and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:59
S26	0	(("creating a view") with view) and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:00
S27	0	(("creat$4 near2 view") with view) and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:00
S28	536	((creat$4 near2 view) with view) and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:01
S29	14	((creat$4 near2 view) with view) with grant$4 and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:13
S30	0	((creat$4 near2 sub$1view) with view) with grant$4 and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:13
S31	4	((creat$4 near2 sub$1view) with view) and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:15

S32	0	((creat$4) with select with "from") and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:15
S33	415	(creat$4 near3 select) and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:16
S34	7513	(creat$4 near3 select wwith view) and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:16
S35	48	(creat$4 near3 select with view) and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:38
S36	9	(creat$4 with partition with view) and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:35
S37	40	("create view" with select) and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:49
S38	0	(shrink with view with select) and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:49
S39	48	(creat$4 near3 select with view) and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:38
S40	14	707/3.ccls. and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:38
S41	4	707/9.ccls. and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:38

S42	15	707/102.ccls. and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 17:07
S43	8	707/104.1.ccls. and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:39
S44	0	database same (nested adj view) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 09:27
S45	7	(nested adj view) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 09:33
S46	0	((exclud$5 with confident$5) with view) and database and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 09:34
S47	4	((exclud$5 with confident$5) and view) and database and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 09:38
S48	0	(exclud$5 with confident$5) and (create adj view) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 09:39
S49	126	exclud$5 and (create adj view) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 09:39
S50	54	exclud$5 and (create adj view) and profile and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 09:39
S51	1	(exclud$5 with profile) and (create adj view) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 09:40

S52	137	nested and (create adj view) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 09:41
S53	37	(nested with view) and (create adj view) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 09:41
S54	48	(creat$4 near3 select with view) and @ad < "20010629" and database and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 17:07
S55	2	707/201.ccls. and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 17:07
S56	1	715/700.ccls. and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 17:07